CERTIFICATE OF ANALYSIS



Customer: NexZen Extracts

nexzenextracts.com

Batch #: EN10015711

Laboratory Number: ATL-16724

Report Issue Date: 11/22/2024

Order Date: 11/20/2024

Analysis Date: 11/22/2024

Extraction Technician: LL

Analytical Chemist: LL

Kim Dang Laboratory Manager

Sample Description:

30 Delta -10 Gummies 750mg

Unit Weight: 7.5547g / Gummy

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/gummy	%		Analyte	LOQ (mg/g)	Results mg/gummy	%
CBDV-A	<0.011	N/D	N/D		D8-THCV	<0.004	N/D	N/D
CBDV	<0.011	N/D	N/D		THCV-A	<0.005	N/D	N/D
CBD-A	<0.008	N/D	N/D		CBN	<0.011	N/D	N/D
CBG-A	<0.008	N/D	N/D	1	D9-THC	<0.014	N/D	N/D
CBG	<0.007	N/D	N/D		D8-THC	<0.005	N/D	N/D
CBD	<0.008	N/D	N/D		9S-D10-TH	<0.005	6.03	0.08
THCV	<0.008	N/D	N/D		9R-D10-TH0	<0.002	15.11	0.20

Analyte	LOQ (mg/g)	Results mg/gummy	%
СВС	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	N/D	N/D

Max Active THC	mg/gummy 21.14	% 0.28	\ \
Max Active CBD	mg/gummy	% N/D	

Total Active Cannabinoids	mg/gummy % 21.14 0.28	
Total Cannabinoids	mg/gummy % 21.14 0.28	

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)

Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8- Tetrahydrocannabinol(D8-THC)

9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA)

Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 05 Effective Date:10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

